

ABSEL



AUTOMOTIVE BULBS

Brighter.
Further.
Safer.



Premium Quality

MADE
IN KOREA





Dear friends and partners!

With great pleasure, I introduce to you the brand of automotive parts and technical fluids, ABSEL.

Our journey began with the desire to offer motorists something more than just spare parts: we aimed to provide solutions that make your journey more comfortable, safe, and reliable.

Undoubtedly, our 30 years of experience in distributing premium automotive parts, coupled with strong relationships with renowned manufacturers, have helped us realize our vision and aspirations. We take pride in the fact that each ABSEL component carries not only our knowledge and expertise but also your trust.

Our mission is to provide you with products that not only meet but exceed your expectations. Every ABSEL part is the result of the efforts of our engineers and specialists, who are dedicated to ensuring that your vehicle always operates at its peak performance.

Thank you for your support and trust. We are prepared for future challenges and opportunities, and we are excited to share our passion for cutting-edge automotive technology with you.

Eleftherios A.

Founder of the ABSEL Group of Companies






Brighter.
Further.
Safer.

ABSEL

AUTOMOTIVE
HALOGEN
BULBS

100% compliance with the parameters and high quality
ABSEL halogen bulbs provide excellent illumination range, improving visibility
of objects on the road. This makes them ideal for safe and comfortable driving
in all road conditions.



ORIGINAL

Halogen bulbs fully compliant with the original products of automotive manufacturers.

- Combination of high quality, durability, and cost-effectiveness
- The flask with a UV filter effectively blocks the negative impact of ultraviolet radiation
- Compliant with the requirements of the European regulation ECE R-37



COLLECTION FOUR SEASONS

Halogen bulbs for challenging weather conditions

- Provide enhanced visibility on foggy, snowy, and rainy days
- Suitable for any weather conditions
- Slightly yellowish color due to special coating
- Maximum brightness with minimal glare and reflections
- Compliant with the requirements of the European regulation ECE R-37



LONG LIFE

Halogen bulbs with extended service life

- A 2-fold longer service life allows you to effectively reduce maintenance costs
- 100% OEM compliant
- Effective for drivers who drive frequently with headlights on
- UV filter flask effectively blocks the negative effects of UV radiation
- Compliant with European ECE R-37 regulations



COLLECTION CRYSTAL WHITE

Halogen bulbs with comfortable ultra-white light and increased brightness

- Provide an ultra-white light effect with a color temperature of up to 4300K
- Increased brightness and contrast ensure excellent visibility of objects on the road while driving
- Comfortable white light contributes to less driver fatigue during long nighttime journeys
- The bulb with a UV filter effectively blocks the negative impact of ultraviolet radiation
- Compliant with the requirements of the European regulation ECE R-37



COLLECTION
EL VISION +50
Halogen bulbs with increased brightness up to +50%

- Increased brightness +50% compared to original halogen bulbs
- Superior balance of efficiency and cost-effectiveness
- The bulb with a UV filter effectively blocks the negative impact of ultraviolet radiation
- Compliant with the requirements of the European regulation ECE R-37



 COLLECTION
EL VISION +100
Halogen bulbs with increased brightness up to +100%

- Increased brightness +100% compared to original halogen bulbs
- Enhanced contrast of illuminated objects
- Xenon HID lamp effect due to special coating
- Color temperature of 4300K
- Balance of high quality, durability, and cost-effectiveness
- Compliant with the requirements of the European regulation ECE R-37



 COLLECTION
EL VISION +150
Halogen bulbs with increased brightness up to +150%

- Increased brightness +150% compared to original halogen bulbs
- Provide the highest contrast of illuminated objects
- Intense light output and expanded illumination area ensure quick detection of potentially hazardous objects, giving the driver enough time to react in challenging road conditions or at high speeds
- The bulb with a UV filter effectively blocks the negative impact of ultraviolet radiation




H1 | P14.5s



Product Code	Series	Voltage, V	Power, W
UH 011 010	ORIGINAL	12	55
UH 011 222 CW	CRYSTAL WHITE	12	55
UH 011 011 LZ	EL VISION +50	12	55
UH 011 223 LZ	EL VISION +100	12	55
UH 011 011 LL	LONG LIFE	12	55
UH 011 221 WM	FOUR SEASONS	12	55
UH 012 010	ORIGINAL	24	70
UH 012 011 LL	LONG LIFE	24	70

H4 | P43t



Product Code	Series	Voltage, V	Power, W
UH 041 010	ORIGINAL	12	60/55
UH 041 222 CW	CRYSTAL WHITE	12	60/55
UH 041 011 LZ	EL VISION +50	12	60/55
UH 041 223 LZ	EL VISION +100	12	60/55
UH 041 226 LZ	EL VISION +150	12	60/55
UH 041 011 LL	LONG LIFE	12	60/55
UH 041 221 WM	FOUR SEASONS	12	60/55
UH 042 010	ORIGINAL	24	75/70
UH 042 011 LL	LONG LIFE	24	75/70

H3 | PK22s



Product Code	Series	Voltage, V	Power, W
UH 031 010	ORIGINAL	12	35
UH 031 011	ORIGINAL	12	55
UH 031 222 CW	CRYSTAL WHITE	12	55
UH 031 011 LZ	EL VISION +50	12	55
UH 031 011 LL	LONG LIFE	12	55
UH 031 221 WM	FOUR SEASONS	12	55
UH 032 010	ORIGINAL	24	35
UH 032 011	ORIGINAL	24	55
UH 032 012	ORIGINAL	24	70
UH 032 011 LL	LONG LIFE	24	70

H4 | P45t



Product Code	Series	Voltage, V	Power, W
UH 041 011	ORIGINAL	12	60/55
UH 041 221 CW	CRYSTAL WHITE	12	60/55
UH 041 220 WM	FOUR SEASONS	12	60/55
UH 042 011	ORIGINAL	24	75/70

HS1 | PX43t



Product Code	Series	Voltage, V	Power, W
UH 731 010	ORIGINAL	12	35/35
UH 731 222 CW	CRYSTAL WHITE	12	35/35
UH 731 221 WM	FOUR SEASONS	12	35/35

H7 | PX26d



Product Code	Series	Voltage, V	Power, W
UH 071 010	ORIGINAL	12	55
UH 071 222 CW	CRYSTAL WHITE	12	55
UH 071 011 LZ	EL VISION +50	12	55
UH 071 223 LZ	EL VISION +100	12	55
UH 071 226 LZ	EL VISION +150	12	55
UH 071 011 LL	LONG LIFE	12	55
UH 071 221 WM	FOUR SEASONS	12	55
UH 072 010	ORIGINAL	24	70
UH 072 222 CW	CRYSTAL WHITE	24	70
UH 072 011 LL	LONG LIFE	24	70
UH 072 221 WM	FOUR SEASONS	24	70

H8 | PGJ19-1



Product Code	Series	Voltage, V	Power, W
UH 081 010	ORIGINAL	12	35
UH 081 222 CW	CRYSTAL WHITE	12	35
UH 081 011 LL	LONG LIFE	12	35
UH 081 221 WM	FOUR SEASONS	12	35

H9 | PGJ19-5



Product Code	Series	Voltage, V	Power, W
UH 091 010	ORIGINAL	12	65
UH 091 222 CW	CRYSTAL WHITE	12	65
UH 091 011 LL	LONG LIFE	12	65
UH 091 221 WM	FOUR SEASONS	12	65

H11 | PGJ19-2



Product Code	Series	Voltage, V	Power, W
UH 111 010	ORIGINAL	12	55
UH 111 222 CW	CRYSTAL WHITE	12	55
UH 111 223 LZ	EL VISION +100	12	55
UH 111 226 LZ	EL VISION +150	12	55
UH 111 011 LL	LONG LIFE	12	55
UH 111 221 WM	FOUR SEASONS	12	55
UH 112 010	ORIGINAL	24	70
UH 112 011	ORIGINAL	24	70
UH 112 222 CW	CRYSTAL WHITE	24	70
UH 112 011 LL	LONG LIFE	24	70
UH 112 221 WM	FOUR SEASONS	24	70

H8B | PGJY19-1



Product Code	Series	Voltage, V	Power, W
UH 281 010	ORIGINAL	12	35
UH 281 222 CW	CRYSTAL WHITE	12	35
UH 281 011 LL	LONG LIFE	12	35
UH 281 221 WM	FOUR SEASONS	12	35

H9B | PGJY19-5



Product Code	Series	Voltage, V	Power, W
UH 291 010	ORIGINAL	12	65
UH 291 222 CW	CRYSTAL WHITE	12	65
UH 291 011 LL	LONG LIFE	12	65
UH 291 221 WM	FOUR SEASONS	12	65

H11B | PGJY19-2



Product Code	Series	Voltage, V	Power, W
UH 211 010	ORIGINAL	12	55
UH 211 011 LL	LONG LIFE	12	55
UH 211 222 CW	CRYSTAL WHITE	12	55
UH 211 221 WM	FOUR SEASONS	12	55

H10 | PY20d | P20d-40A | P20d - 55A



Product Code	Series	Voltage, V	Power, W
UH 101 010	ORIGINAL	12	42
UH 101 222 CW	CRYSTAL WHITE	12	42
UH 101 221 WM	FOUR SEASONS	12	42
UH 461 010	ORIGINAL	12	40
UH 551 010	ORIGINAL	12	55

H12 | PZ20t



Product Code	Series	Voltage, V	Power, W
UH 401 010	ORIGINAL	12	40
UH 451 010	ORIGINAL	12	45
UH 121 010	ORIGINAL	12	53

H13 | P26.4t



Product Code	Series	Voltage, V	Power, W
UH 131 010	ORIGINAL	12	60/55
UH 131 222 CW	CRYSTAL WHITE	12	60/55
UH 131 221 WM	FOUR SEASONS	12	60/55

H15 | PGJ23t-1



Product Code	Series	Voltage, V	Power, W
UH 151 010	ORIGINAL	12	15/55
UH 151 222 CW	CRYSTAL WHITE	12	15/55
UH 151 221 WM	FOUR SEASONS	12	15/55

H16 | PGJ19-3



Product Code	Series	Voltage, V	Power, W
UH 161 010	ORIGINAL	12	19
UH 161 222 CW	CRYSTAL WHITE	12	19
UH 161 011 LL	LONG LIFE	12	19
UH 161 221 WM	FOUR SEASONS	12	19

H18 | PY26d-1



Product Code	Series	Voltage, V	Power, W
UH 181 010	ORIGINAL	12	65
UH 181 222 CW	CRYSTAL WHITE	12	65
UH 181 011 LL	LONG LIFE	12	65
UH 181 221 WM	FOUR SEASONS	12	65

H19 | PU43t-3



Product Code	Series	Voltage, V	Power, W
UH 191 010	ORIGINAL	12	60/55
UH 191 222 CW	CRYSTAL WHITE	12	60/55
UH 191 011 LL	LONG LIFE	12	60/55
UH 191 221 WM	FOUR SEASONS	12	60/55

HB1 | P29t



Product Code	Series	Voltage, V	Power, W
UH 311 010	ORIGINAL	12	65/45
UH 311 222 CW	CRYSTAL WHITE	12	65/45
UH 311 221 WM	FOUR SEASONS	12	65/45

HB3 | P20d



Product Code	Series	Voltage, V	Power, W
UH 331 010	ORIGINAL	12	60
UH 331 222 CW	CRYSTAL WHITE	12	60
UH 331 223 LZ	EL VISION +100	12	60
UH 331 226 LZ	EL VISION +150	12	60
UH 331 011 LL	LONG LIFE	12	60
UH 331 223 LL	LONG LIFE HYPER	12	60
UH 331 221 WM	FOUR SEASONS	12	60

HB3A | P20d



Product Code	Series	Voltage, V	Power, W
UH 231 010	ORIGINAL	12	60
UH 231 222 CW	CRYSTAL WHITE	12	60
UH 231 221 WM	FOUR SEASONS	12	60

HB4 | P22d



Product Code	Series	Voltage, V	Power, W
UH 341 010	ORIGINAL	12	51
UH 341 222 CW	CRYSTAL WHITE	12	51
UH 341 223 LZ	EL VISION +100	12	51
UH 341 226 LZ	EL VISION +150	12	51
UH 341 011 LL	LONG LIFE	12	51
UH 341 221 WM	FOUR SEASONS	12	51

HB4A | P22d



Product Code	Series	Voltage, V	Power, W
UH 441 010	ORIGINAL	12	51
UH 441 222 CW	CRYSTAL WHITE	12	51
UH 441 221 WM	FOUR SEASONS	12	51

HB5 | PX29t



Product Code	Series	Voltage, V	Power, W
UH 351 010	ORIGINAL	12	65/55
UH 351 222 CW	CRYSTAL WHITE	12	65/55
UH 351 221 WM	FOUR SEASONS	12	65/55

HIR1 | PX20d



Product Code	Series	Voltage, V	Power, W
UH 711 010	ORIGINAL	12	65
UH 711 222 CW	CRYSTAL WHITE	12	65
UH 711 221 WM	FOUR SEASONS	12	65

HIR2 | PX22d



Product Code	Series	Voltage, V	Power, W
UH 721 010	ORIGINAL	12	55
UH 721 222 CW	CRYSTAL WHITE	12	55
UH 721 221 WM	FOUR SEASONS	12	55
UH 721 221 RM	RALLY	12	100

H27W/1 | PG13


Product Code	Series	Voltage, V	Power, W
UH 801 010	ORIGINAL	12	27
UH 801 222 CW	CRYSTAL WHITE	12	27
UH 801 221 WM	FOUR SEASONS	12	27

H27W/2 | PGJ13


Product Code	Series	Voltage, V	Power, W
UH 811 010	ORIGINAL	12	27
UH 811 222 CW	CRYSTAL WHITE	12	27
UH 811 221 WM	FOUR SEASONS	12	27





ABSEL

AUTOMOTIVE XENON BULBS

Modern manufacturing technologies and reliable component base of ABSEL xenon bulbs guarantee durability and resistance to vibrations, providing excellent visibility of all objects on the road.



MADE IN KOREA



XENON HID


XENON ORIGINAL

Xenon bulbs fully compliant with the original products of automotive manufacturers.

- 100% compliance with OEM automotive manufacturers' requirements
- Color temperature of 4300K
- Combination of high quality, durability, and efficiency
- Compliant with the requirements of the European regulation ECE R-3




D1S | PK32d-2




Product Code	UX 618 010
Series	XENON ORIGINAL
Voltage, V	85
Power, W	35
Light temperature, K	4300K

D3S | PK32d-5




Product Code	UX 634 010
Series	XENON ORIGINAL
Voltage, V	42
Power, W	35
Light temperature, K	4300K

D2S | PK32d-2



Product Code	UX 628 010
Series	XENON ORIGINAL
Voltage, V	85
Power, W	35
Light temperature, K	4300K

D4S | PK32d-2



Product Code	UX 644 010
Series	XENON ORIGINAL
Voltage, V	42
Power, W	35
Light temperature, K	4300K





ABSEL

AUTOMOBILE LED BULBS


Super-bright LEDs from South Korea and modern reliable construction of ABSEL LED bulbs allow for efficient replacement of traditional halogen headlight bulbs and achieve outstanding illumination and brightness characteristics.

LED

MADE
IN KOREA



Efficient replacement of halogen bulbs



Super-bright LEDs

Reliable combination of brightness and durability

LUMILEDS LEDs (USA) possess consistently high luminous flux characteristics and a long service life.



Efficient cooling system

Long service life without brightness degradation

The low-noise cooling fan driver rotates at a speed of 11,000 revolutions per minute, preventing bulbs brightness degradation throughout its service life.



COLLECTION LED VISION

Built-in compact driver

Simple solution for replacing halogen lamps

The compact design of the driver allows for easy replacement of traditional halogen solutions on virtually any vehicle.


Brighter.
Further.
Safer.




COLLECTION
LED VISION

- Comfortable white light with a color temperature of up to 5500K provides high contrast and excellent visibility of objects on the road
- Increased brightness by 40% compared to original halogen bulbs
- The design with a compact driver allows for easy replacement of traditional halogen bulbs
- Brightness and color temperature parameters will add an attractive appearance and individual style to your vehicle



H4 [HEADLIGHTS]

	Type/Socket Size	H4 / P43t
	Product Code	UL 041 221 LE
	Light temperature, K	5500/5300
	Brightness, lm	2100/1600
	Power, W	25/25
	Voltage, V	12


H7 [HEADLIGHTS]

	Type/Socket Size	H7 / PX26d
	Product Code	UL 071 221 LE
	Light temperature, K	5300
	Brightness, lm	1800
	Power, W	18
	Voltage, V	12


H8/H9/H11/H16 [HEADLIGHTS]

	Type/Socket Size	H8 / PGJ19-1	H9 / PGJ19-2	H11 / PGJ19-3	H16 / PGJ19-5
	Product Code	UL 081 221 LE	UL 091 221 LE	UL 111 221 LE	UL 161 221 LE
	Light temperature, K	5 300			
	Brightness, lm	1 800			
	Power, W	18			
	Voltage, V	12			


HB3 (9005) [HEADLIGHTS]

	Type/Socket Size	HB3 (9005) / P20d
	Product Code	UL 331 221 LE
	Light temperature, K	5300
	Brightness, lm	1900
	Power, W	18
	Voltage, V	12

HB4 (9006) [HEADLIGHTS]

	Type/Socket Size	HB4 (9006) / P22d
	Product Code	UL 341 221 LE
	Light temperature, K	5300
	Brightness, lm	1900
	Power, W	18
	Voltage, V	12

H8/H9/H11/H16 [FOG LAMP VERSION]

	Type/Socket Size	H8 / PGJ19-1	H9 / PGJ19-2	H11 / PGJ19-3	H16 / PGJ19-5
	Product Code	UL 081 222 LF	UL 091 222 LF	UL 111 222 LF	UL 161 222 LF
	Light temperature, K	5 000			
	Brightness, lm	1 000			
	Power, W	8			
	Voltage, V	12			

ABSEL

Power in Motion. Quality in Parts.

HEAD OFFICE



Jebel Ali Free Zone South, Dubai, UAE
+971 50 896 0071
www.abselparts.com
info@abselparts.com

MANUFACTURING COORDINATION CENTER



No:19/6 Mahmutbey, Taşocağı Yolu, Entrance C1
Floor:17 Office:52, Bağcılar, 34218 Istanbul, Turkey
+90 539 926 93 36 | +90 212 924 40 50
E-mail info@abselparts.com

DISTRIBUTION NETWORK

EUROPE | EUROPEAN UNION, TURKEY



Max-Kaiser-Str. 60, 97424, Germany
+49 176 362 250 48
eu-sales@abselparts.com

CIS | BELARUS, KAZAKHSTAN, KYRGYZSTAN, RUSSIA, TAJIKISTAN, UZBEKISTAN



17 Butlerova Str., office 4045 Moscow
8-800-101-30-20
cis-sales@abselparts.com

SOUTH CAUCASUS | AZERBAIJAN, GEORGIA, ARMENIA



N 263 Rustavi Highway, Krtsanisi district, Tbilisi, Georgia
+995 595 16 16 07
sc-sales@abselparts.com

MIDDLE EAST AND NORTH AFRICA | EGYPT, JORDAN, ISRAEL, KUWAIT, MAROCCO, LEBANON, TUNISIA, UAE



Jebel Ali Free Zone South, Dubai, UAE
+971 50 896 0071
mena-sales@abselparts.com



abselparts.com